Josh Green, M.D. GOVERNOR



DOUGLAS MURDOCK CHIEF INFORMATION OFFICER

OFFICE OF ENTERPRISE TECHNOLOGY SERVICES

P.O. BOX 119, HONOLULU, HAWAI'I 96810-0119 Ph: (808) 586-6000 | Fax: (808) 586-1922 ETS.HAWAII.GOV

July 18, 2023

The Honorable Ronald D. Kouchi President of the Senate and Members of the Senate Thirty-Second State Legislature State Capitol, Room 409 Honolulu, Hawai'i 96813 The Honorable Scott K. Saiki Speaker and Members of the House of Representatives Thirty-Second State Legislature State Capitol, Room 431 Honolulu, Hawai'i 96813

Aloha Senate President Kouchi, Speaker Saiki, and Members of the Legislature:

Pursuant to HRS section 27-43.6, which requires the Chief Information Officer to submit applicable independent verification and validation (IV&V) reports to the Legislature within ten days of receiving the report, please find attached the report the Office of Enterprise Technology Services received for the State of Hawai'i, Department of Human Services, Systems Modernization Project.

In accordance with HRS section 93-16, this report may be viewed electronically at <u>http://ets.hawaii.gov</u> (see "Reports").

Sincerely,

Douglas Murdock Chief Information Officer State of Hawai'i

Attachments (2)



#### Hawaii Department of Human Services Systems Modernization Project

Final IV&V Status Report for Reporting Period: June 1 – 30, 2023

Submitted: July 17, 2023



**Solutions that Matter** 

#### **Overview**

- Executive Summary
- IV&V Findings and Recommendations
- <u>IV&V Engagement Status</u>
- <u>Appendices</u>
  - <u>A IV&V Criticality Ratings</u>
  - <u>B Risk Identification Report</u>
  - <u>C Acronyms and Glossary</u>
  - <u>D Background Information</u>

**Solutions that Matter** 

# **Executive Summary**



#### **Executive Summary**



In June, IV&V notes positive progress by the ASI providing 21 demonstrations of BES functionality developed and tested. Although this is good news, DHS and IV&V remain concerned that ASI will demonstrate the Release 12 BES functionality at the end of the development phase based on what occurred with Release 11, instead of incrementally as the functionality is developed and tested. Two possible outcomes may occur: 1) The DHS project team may not be forthcoming regarding design concerns for fear of impacting the schedule, or 2) the issues raised during the demonstrations will require significant rework – meaning resource reallocations may be necessary and may have either a schedule or scope of work impact prior to Pilot.

Other key events in this reporting period included:

- IV&V continued to assess the testing of Release 11, including the ongoing identification of possible gaps in testing coverage as introduced in the IV&V May 2023 report, as well as a new concern included in this month's IV&V report focused on the adequacy of preparation for Release 11 UAT scheduled to start in July 2023.
- DHS and the ASI agreed to push ADA compliance testing to Release 12. Although the ASI has ADA test results, they
  have not been shared with DHS or IV&V. It is unclear why the ADA test results have not been shared especially since the
  ASI is reporting they are addressing the ADA test outcomes in the development process.

As the Pilot start date is right around the corner, the level of urgency and pace of the project is expected to increase in line with the demands of the project and project team. The project resources (ASI and DHS) are spread across a large increase in design work (and related demonstrations) for Release 12 while Release 11.1 development is underway and User Acceptance Testing for Release 11 (and eventually 11.1) kicks off. IV&V will continue assessment work across all the open findings impacted by this critical stage of the project, reporting potential risks and suggesting mitigation activities for the BES project.

Ар	· Ma	ay	Jun	Category	IV&V Observations
M	M	1	M	Project Management	DHS and IV&V discovered changes to the Release 12 schedule that reduced the time to complete Release 12 work. The ASI has been asked for details regarding the information used to make these schedule changes.

#### **Executive Summary**




Apr	Мау	Jun	Category	IV&V Observations
M	L	L	System Design	The ASI continues to make progress in its approach to building and maintaining the BES infrastructure.
L	L	L	Configuration and Development	The ASI hired additional developers, system analysts, and business analysts to meet the demands of completing the scope of release 12.
L	L	L	Integration and Interface Management	IV&V continues to monitor the progress of the BES project interfaces.
М	M	Z	Testing	The Release 11 System Integration testing moved towards completion. The ASI and DHS decided to postpone ADA validation testing to Release 12.
L	M	М	Security and Privacy	A delay in completing system technical documentation is impacting the completion of security and privacy implementation statements and could also result in rework.

As of the June 2023 reporting period, PCG is tracking 9 open findings (7 risks, 2 issues) and has retired a total of 68 findings. Of the 9 open findings, 4 are Medium, and 5 are Low.



Security and Privacy

The following figure provides a breakdown of the 78 IV&V findings (positive, risks, issues, concerns) by status (open, retired).





#### Findings Retired During the Reporting Period

#	Finding	Category
	None	



# Preliminary Concerns Investigated During the Reporting Period

#	Finding	Category
84	Preliminary Concern – The current UAT approach and planning may not be complete, which increases the likelihood of missing UAT timelines.	
	<b>Observation;</b> Although there is an approved UAT plan and an experienced testing team, the Project appears unprepared for Release 11 UAT. For example, new testing processes, including a Teams Issue Tracker, are not fully developed. While basic workflow understanding exists, test team members raised many questions about testing processes, and some scenarios and defect flows remain undefined. The Project team reported they will refine these processes during UAT.	Testing
	<b>Significance</b> : Without a defined and developed UAT approach and resource plan, there is a potential risk of missing UAT timelines. However, the R11 UAT phase does not fall within the critical path of the project, and a delayed completion or incomplete UAT does not directly impact the overall project schedule. While the immediate schedule implications of incomplete or delayed R11 UAT may be limited, it is important to consider the potential long-term consequences regarding project quality, capacity, and resource retention.	



#### Findings Opened During the Reporting Period

#	Finding	Category
	None	

#### **Project Management**

#	Key Findings	Criticality Rating
	Issue – Uncertainty and/or a lack of communication around long-term architecture decisions could impact the project budget, schedule, system design, and planning decisions.	
29	The project is making progress in clarifying key architecture decisions. One notable decision that has been announced and approved by DHS is the implementation of the two-portal strategy as part of the statewide rollout, rather than including it in the earlier pilot release.	L

Recommendations	
<ul> <li>The ASI should continue to update the BI-12 System Architecture Deliverable with additional details as they become available and with any finalized architectural changes.</li> </ul>	In process
<ul> <li>DHS should continue to ask the ASI to perform due diligence in any recommendation for foundational architecture change decisions and continue to review with appropriate DHS stakeholders (e.g., KOLEA) to assure a common understanding of the implications of these decisions.</li> </ul>	In process
<ul> <li>The Project should continue to ensure communication between development leads and architecture leads to assure optimal collaboration on possible architecture changes that could impact decisions in each area.</li> </ul>	In process



#### **Project Management**

#	Key Findings	Criticality Rating
74	Issue – A BES Project schedule based on inaccurate estimations diminishes effective planning and resource management, which could result in late deliverables, cost increases, and a late go-live. ASI updates to the schedule that resulted in a reduction of the baseline estimates were applied without DHS awareness. Specifically, two development sprints (1 month in total duration) and three integration testing sprints (1.5 months in total duration) were removed. Yet, a significant amount of the scope of work was moved from Release 11 to Release 12, and work was moved out of Release 12 to post-Go-Live. DHS and IV&V are uncertain how the ASI determined that they would complete Release 12 scope with the reduced amount of time and have asked the ASI for details about these changes. DHS and IV&V are concerned this might exceed the capacity of the development teams, potentially pushing out key milestones on the critical path.	M
Rec	ommendations	Progress
• M	onitor, evaluate and revise scheduling estimates for accuracy.	In process
	dd key milestones to the project schedule, such as sprint and epic demos, to show key progress towards ompletion of Epics.	Not Started
	SI plan and execute Epic development so that Epic Demos can occur earlier in the release schedule and low time for possible revisions.	In process



#### Integration and Interface Management

#	Key Findings	Criticality Rating
	Risk – The lack of early planning and coordination with interface partners may result in schedule delays.	
	The ASI continues to ramp up interface activities, with most of the effort occurring in Release 12. The two remaining agreements to be completed are:	
	DoTax (Department of Taxation)	
63	DLIR (Department of Labor and Industrial Relations)	L
	The ASI is creating the Interface Control Documents (ICD), which includes six in initial draft status, with the remaining ICDs either in process or submitted. IV&V will continue to monitor the ASI efforts toward addressing our recommendations. As previously reported, Release 12 development ends on October 5, 2023, and there is little time left to complete the agreements and gain partner input/confirmation on testing and implementation dates.	

Recommendations	Progress
Complete all MOAs and obtain approval.	In process
Confirm testing dates with interface partners in writing.	In process
<ul> <li>Complete early proof of concept interfaces to avoid unexpected delays due to external organization miscommunications or their own internal delays in assisting the BES project.</li> </ul>	Not started



#### **Configuration and Development**

#	Key Findings	Criticality Rating
70	Risk – Insufficient configuration management could lead to development confusion and reduce the effectiveness of defect resolution. There is no material update for this reporting period.	L
Rec	ommendations	Progress
	SI adhere to plans for configuration management as documented in BI-6 DDI Plan, Section 5.2 and clarify etails and/or any changes with DHS.	In process
	SI validate plans for configuration management with DHS and agree on a meaningful set of configuration ems or settings they will track.	In process
	HS and ASI work to clarify/solidify plans for the potential use of configuration management tools and DHS ork to fund and procure a CM tool, as required, to avoid any negative impacts to the project.	In process



#### **Configuration and Development**

#	Key Findings	Criticality Rating
80	<b>Risk – Development delays could negatively impact the project schedule and delay go-live.</b> DHS and IV&V are concerned that most of the demonstrations for Release 11 were delivered at the end of Release 11. This could indicate challenges in the development process, leading to delays in presenting demos to the customer. This hindered DHS's ability to provide productive feedback and has made it difficult for key DHS Subject Matter Experts to attend the demos. Additionally, the ASI's refusal to incorporate Epic demo activities for Release 11.1 and 12 into the project schedule makes it challenging for DHS to coordinate the demo dates with other project activities.	L

Recommendations	Progress
• DHS request the ASI strategically add the right project team resources to effectively increase velocity. Note that adding additional junior resources may not be as effective as staffing additional expert-level development, analysis, and other resources that can lead and mentor junior resources.	In process
<ul> <li>ASI effectively track and regularly provide DHS (potentially via the weekly DDI status meeting) with an accurate velocity (e.g., story points per day/week/month) and assure that the current velocity is accurately and consistently reflected in the project schedule.</li> </ul>	In process
<ul> <li>The ASI should provide DHS with the time needed to effectively evaluate the software demonstrations (demos) and elicit productive design discussions with DHS attendees during each demo.</li> </ul>	In process
<ul> <li>ASI reviews the development process and identifies and mitigates the challenges preventing them from incorporating Epic demo activities into the project schedule.</li> </ul>	Not started



#### System Design

#	Key Findings	Criticality Rating
	Risk – The planned BES infrastructure is complex which could be difficult to implement and maintain and could lead to schedule/cost impacts.	
73	The ASI has made progress with key infrastructure components, particularly those related to the loading and masking (using Delphix) of legacy data into the UAT environment. These components play a crucial role in improving the testing process, and this progress improves the ASI's ability to create and maintain the BES environments.	L

Recommendations		
<ul> <li>ASI develop a process to closely monitor cloud and other product changes (software updates/new releases), manage changes, and regression test once updates are applied.</li> </ul>	In process	
<ul> <li>The project team work to establish strong governance over the utilization and maintenance of various tools/components.</li> </ul>	In process	
<ul> <li>ASI allot time in the schedule to conduct proof of concepts to assure infrastructure components work as expected.</li> </ul>	In process	
• ASI maintain a detailed schedule for DevOps implementation tasks to avoid unexpected delays that could delay project milestones and the critical path.	In process	



#### Testing

#	Key Findings	Criticality Rating
	Risk - The Americans With Disabilities Act (ADA) Section 508 compliance tool has not been installed for the Project, which may cause significant rework.	
67	The ASI conducted an assessment using the ADA compliance tool in June and identified 28 defects. However, DHS and the ASI decided to conduct ADA testing officially in Release 12 (moving all related tasks from Release 11 to Release 12 in the schedule) and the ASI stated that publishing the results of ADA compliance is unnecessary at this time. Although the ASI appears to be actively engaged in ADA testing, IV&V is concerned with the decision to withhold publishing the ADA tool's results. Enhanced transparency would provide stakeholders with a better understanding of the ADA testing process.	M

Recommendations	Progress
The ADA tool meets contractual and project requirements.	In process
The ASI communicates a plan for ADA test execution.	In process
<ul> <li>The ASI communicates how the tool will be used to report compliance and non-compliance and how non- compliance will be addressed/corrected</li> </ul>	In process
The ASI provides DHS/IV&V reports from the ADA tool execution and explain how to interpret the results.	Not started

#### Testing

#	Key Findings	Criticality Rating
	Risk – Gaps in test coverage and slower-than-expected progress in testing may result in schedule delays if subsequent test phases uncover a higher volume of defects and user feedback than initially anticipated.	
33	The ASI addressed some INT testing gaps identified by IV&V by developing additional test cases and updating the traceability dashboard. The ASI also improved SIT testing by refining and developing additional test cases based on the INT test cases. However, DHS and IV&V are not convinced testing activities are sufficiently testing all functionality which could lead to a larger-than-expected number of defects in future testing phases, potentially pushing out key milestones on the critical path.	M

Recommendations	Progress
Monitor SIT closely for both breadth and depth of testing to ensure the system is adequately tested.	Not Started
<ul> <li>The project team reviews the SIT exit criteria and revises them as needed to ensure UAT begins with the best system possible.</li> </ul>	In process
<ul> <li>ASI and DHS spot-check Integration Tests during Release 12 to confirm early testing is adequate before entering FAT.</li> </ul>	Not Started



#### Security and Privacy

#	Key Findings	Criticality Rating
	Risk – The lack of technical documentation may lead to incorrect implementation statements or delay the System Security Plan (SSP).	
82	The SSP Authors have received very little updated, draft, or final technical documentation of the system over the past two months. The SSP Authors have continued writing implementation responses to controls, and many control families are nearly complete. However, the responses have been written based on an educated expectation of the system, which could require rework to align the responses with the actual system design. This documentation should be made available to the SSP Authors before the July 28, 2023 completion of the draft implementations of all control families.	M

Recommendations	Progress
Determine when the infrastructure design baseline will be completed.	In process
<ul> <li>Determine when documentation will be created, updated, and available for the SSP authors.</li> </ul>	Not Started
<ul> <li>Collaborate and communicate with SSP authors about when reliable and correct documentation will be available.</li> </ul>	Not Started








### **IV&V Engagement Status**

IV&V Engagement Area	Apr	Мау	Jun	Comments
IV&V Budget				
IV&V Schedule				
IV&V Deliverables				PCG submitted the final May IV&V Monthly Status Report.
IV&V Staffing				
IV&V Scope				



#### **IV&V** Activities



- IV&V activities in the June reporting period:
  - Completed May Monthly Status Report
  - Ongoing Review the BES Project Artifacts and Deliverables
  - Ongoing Attend BES Project meetings, (see <u>Additional Inputs</u> pages for details)
  - Reviewed available ASI contracts and contract amendments documentation
- Planned IV&V activities for the July reporting period:
  - Ongoing Observe BES Design and Development sessions as scheduled
  - Ongoing Observe Bi-Weekly Project Status meetings
  - Ongoing Observe Weekly Architecture meetings
  - Ongoing Observe Weekly Security meetings
  - Ongoing Monthly IV&V findings meetings with the ASI
  - Ongoing Monthly IV&V Draft Report Review with DHS, ETS and ASI
  - Ongoing Participate in Bi-Weekly DHS and IV&V Touch Base meetings
  - Ongoing Review BES artifacts and deliverables

#### **Deliverables Reviewed**



Deliverable Name	Deliverable Date	Version
BI-5 Project Schedule - BES 2023 Primary		N/A
BI-5 Project Schedule - BES 2023 DDI		N/A
BI-08 Technical Environments Specifications – UAT1	6/23/2023	V10
BI-08 Technical Environments Specifications – PRD1	6/23/2023	V1
BI-08 Technical Environments Specifications – DRX1	6/23/2023	V1

## Additional Inputs – Artifacts



Artifact Name	Artifact Date	Version
BES 2023 Design Kanban board	N/A	N/A
R0.11 Epic Assignment	N/A	N/A
FNS Handbook 901	01/2020	V2.4
NIST Special Publication 800-53 Security and Privacy Controls for Information Systems and Organizations	12/20/2020	Rev.5
One RTM (Aha)	N/A	V1
Interface Dashboard – Confluence page	N/A	N/A
BES 2023 Implementation Planning – Confluence page	N/A	N/A
R0.12 Epic Assignment	N/A	N/A

#### **Additional Inputs**



#### **Meetings and/or Sessions Attended/Observed:**

- 1. IV&V Team Meeting 6/5/2023, 6/8/2023, 6/12/2023, 6/15/2023, 6/19/2023, 6/22/2023, 6/26/2023, 6/29/2023
- 2. IV&V May 2023 Pre-Draft MSR Findings Review 6/1/2023
- 3. HI DHS BES June Draft IV&V Report Review 6/29/2023
- 4. IV&V May Findings Roast 6/2/2023
- 5. PMO End of Day Huddle 6/1/2023, 6/6/2023, 6/8/2023, 6/13/2023, 6/15/2023, 6/20/2023, 6/22/2023, 6/27/2023, 6/29/2023
- 6. Bi-Weekly DHS and IV&V Touch Base- 6/13/2023
- 7. Weekly BES Infrastructure meeting 6/1/2023, 6/9/2023, 6/16/2023, 6/23/2023, 6/30/2023
- 8. DHS/IV&V Check-in 6/8/2023, 6/22/2023
- 9. Bi-Weekly Client BES 2023 Project Status Meeting 6/14/2023, 6/28/2023
- 10. Security Touchpoint 5/24/2023, 5/31/2023
- 11. (External) Epic 143 BES-SSP Pre-Screening Sprint Demo 6/1/2023
- 12. (External) Epic 104 CF35a Sprint Demo 6/1/2023
- 13. (External) Epic 114 Epic Demo 6/1/2023
- 14. (External) BES Integration Testing Review 6/2/2023
- 15. (External) Epic 111 Program Status Sprint Demo 6/7/2023
- 16. (External) Epic 112 Manual Verification Sprint Demo 6/7/2023
- 17. (Internal) Epic 113 Epic Demo 6/7/2023
- 18. (External) Epic 140 Time Limited Benefits Epic Demo 6/7/2023
- 19. (External) Epic 101 Appointments Sprint Demo 6/8
- 20. (External) Epic 134 Case Membership Sprint Demo 6/8
- 21. (External) Epic 103 Correspondence Sprint Demo 6/8
- 22. (External) Epic 104 Task Management and Current Integration Epic Demo 6/8
- 23. (External) Epic 110 Alerts and Special Indicators Epic Demo 6/8/2023
- 24. (External) Epic 122 Interview Epic Demo 6/9/2023
- 25. (External) Epic 112 Manual Verifications Epic Demo 6/14/2023

#### **Additional Inputs**



#### Meetings and/or Sessions Attended/Observed (Cont):

- 26. (External) Epic 111 Program Status Epic Demo 6/14/2023
- 27. (External) Readiness and OCM General Meeting 6/14/2023, 6/28/2023
- 28. (External) Epic 107 Verifications Epic Demo 6/14/2023
- 29. (External) Epic 103 Correspondence Epic Demo 6/15/2023
- 30. (External) Epic 108 Eligibility Determination and Epic 118 Correspondence Epic Demo 6/15/2023
- 31. (External) Epic 143 BES Portal Epic Demo 6/16/2023
- 32. (External) Epic 134 Case Epic Demo 6/16/2023
- 33. (External) Epic 117 Document Management Epic Demo 6/19/2023
- 34. (External) UAT Test Team Huddle 6/1/2023, 6/8/2023, 6/15/2023, 6/22/2023
- 35. ASI/IV&V Touchbase 6/21/2023
- 36. (External) BES System Security Plan Controls Implementation Discussion 6/27/2023
- 37. (External) Security Touchpoint 6/28/2023







## Appendix A – IV&V Criticality Ratings

Criticality Rating	Definition
Н	A high rating is assigned if there is a possibility of substantial impact to product quality, scope, cost, or schedule. A major disruption is likely, and the consequences would be unacceptable. A different approach is required. Mitigation strategies should be evaluated and acted upon immediately.
M	A medium rating is assigned if there is a possibility of moderate impact to product quality, scope, cost, or schedule. Some disruption is likely, and a different approach may be required. Mitigation strategies should be evaluated and implemented as soon as feasible.
L	A low rating is assigned if there is a possibility of slight impact to product quality, scope, cost, or schedule. Minimal disruption is likely, and some oversight is most likely needed to ensure that the risk remains low. Mitigation strategies should be considered for implementation when possible.

### Appendix B – Findings Log



• The complete Findings Log for the BES Project is provided in a separate file.

### Appendix C – Acronyms and Glossary



Acronym	Definition
APD	Advance Planning Document
ASI	Application System Integrator
BES	Benefits Eligibility Solution
CCWIS	Comprehensive Child Welfare Information System
CM	Configuration Management
СММІ	Capability Maturity Model Integration
CMS	Center for Medicare and Medicaid Services
CR	Change Request
DDI	Design, Development and Implementation
DED	Deliverable Expectation Document
DHS	Hawaii Department of Human Services
DLV	Deliverable
E&E	Eligibility and Enrollment
EA	Enterprise Architecture
ECM	Enterprise Content Management (FileNet and DataCap)
ESI	Enterprise System Integrator (Platform Vendor)
ETS	State of Hawaii Office of Enterprise Technology Services
FIPS	Federal Information Processing Standard
HIPAA	Health Information Portability and Accountability Act of 1996
IDM	Identity and Access Management (from KOLEA to State Hub)
IEEE	Institute of Electrical and Electronics Engineers
IES	Integrated Eligibility Solution
ITIL	Information Technology Infrastructure Library

## Appendix C – Acronyms and Glossary

Acronym	Definition
IV&V	Independent Verification and Validation
KOLEA	Kauhale On-Line Eligibility Assistance
M&O	Maintenance & Operations
MEELC	Medicaid Eligibility and Enrollment Life Cycle
MEET	Medicaid Eligibility and Enrollment Toolkit
MOU	Memorandum of Understanding
MQD	Hawaii Department of Human Services MedQuest Division
NIST	National Institute of Standards and Technology
OE	Operating Environment
OIT	Department of Human Services Office of Information Technology
PIP	Performance/Process Improvement Plan
PMBOK <sup>®</sup>	Project Management Body of Knowledge
PMI	Project Management Institute
РМО	Project/Program Management Office
PMP	Project Management Plan
QA	Quality Assurance
QM	Quality Management
RFP	Request for Proposal
ROM	Rough Order of Magnitude
RMP	Requirements Management Plan
RTM	Requirements Traceability Matrix
SEI	Software Engineering Institute
SLA	Service-Level Agreement
SME	Subject Matter Expert

## Appendix C – Acronyms and Glossary

Acronym	Definition
SOA	Service Oriented Architecture
SOW	Statement of Work, Scope of Work
VVP	Software Verification and Validation Plan
XLC	Expedited Life Cycle

## Appendix D – Background Information



#### **Systems Modernization Project**

The DHS Enterprise Program Roadmap includes contracting with three separate vendors with the following high-level scope:

- ESI or Platform Vendor responsible for the shared technology and services required for multiple Application vendors to implement and support functionality that leverages the DHS Enterprise Platform.
- ASI or ASI Vendor responsible for the DDI of the Benefits Eligibility Solution (BES Project) enhancing the currently implemented Medicaid E&E Solution (KOLEA) and providing support for the combined Solutions.
- CCWIS Vendor responsible for the DDI of the CCWIS Solution to meet the needs of child welfare services and adult protective services (CCWIS Project) and providing support for the Solution.

#### Systems Modernization IV&V Project

IV&V performs objective assessments of the design, development/configuration and implementation (DDI) of DHS' System Modernization Projects. DHS has identified three high-risk areas where IV&V services are required:

- Transition of M&O from DHS' incumbent vendor to the ESI and ASI vendors
- BES DDI
- CCWIS DDI

On the BES DDI Project, IV&V is responsible for:

- Evaluating efforts performed by the Project (processes, methods, activities) for consistency with federal requirements and industry best practices and standards
- Reviewing or validating the work effort performed and deliverables produced by the ASI vendor as well as that of DHS to ensure alignment with project requirements
- Anticipating project risks, monitoring project issues and risks, and recommending potential risk mitigation strategies and issue resolutions throughout the Project's life cycle
- Developing and providing independent project oversight reports to DHS, ASI vendors, State of Hawaii Office of Enterprise Technology Services (ETS) and DHS' Federal partners

## Appendix D – Background Information



#### What is Independent Verification and Validation (IV&V)?

- Oversight by an independent third party that assesses the Project against industry standards to provide an unbiased view to stakeholders
- The goal of IV&V is to help the State get the solution they want based on requirements and have it built according to best practices
- IV&V helps improve design visibility and traceability and identifies (potential) problems early
- IV&V objectively identifies risks and communicates to project leadership for risk management

#### PCG's Eclipse IV&V® Technical Assessment Methodology

- · Consists of a 4-part process made up of the following areas:
  - 1. **Discovery** Discovery consists of reviewing documentation, work products and deliverables, interviewing project team members, and determining applicable standards, best practices and tools.
  - 2. Research and Analysis Research and analysis is conducted in order to form an objective opinion.
  - **3.** Clarification Clarification from project team members is sought to ensure agreement and concurrence of facts between the State, the Vendor, and PCG.
  - 4. Delivery of Findings Findings, observations, and risk assessments are documented in this monthly report and the accompanying Findings and Recommendations log. These documents are then shared with project leadership on both the State and Vendor side for them to consider and take appropriate action on.

#### **IV&V** Assessment Categories for the BES Project

- Project Management
- Requirements Analysis & Management
- System Design
- Configuration and Development
- Integration and Interface Management

- · Security and Privacy
- Testing
- OCM and Knowledge Transfer
- Pilot Test Deployment
- Deployment

#### Ending Slide



**Solutions that Matter** 

HI DHS Monthly IV Status Report Final - June 2023

Finding	Identified						Analyst	Finding		
ID Title Reporter Type 84 The current UAT approach and planning may Tan, Ryan Concern	Date Category 6/29/2023 Testing	Observation Although there is an approved HAT pice and an experimental territor to a	Significance Without a defined and developed UAT spectrack and recourse plan. Allowing	Recommendation Event Develop contingency plans if Release 11 UAT does not proceed as planned. UAT	nt Horizon Impact	Probability		Status	Status Update	Client Comments Vendor Comments
not be complete, which increases the likelihood of missing UAT timelines.		the Project appears unprepared for Relases 11 UAT. For example, new testing processing, including a Teams uses Tracker, are not fully developed. While basic workflow understanding exists, test team members raised many questions about testing processes, and some scenarios and defect flows remain undefined. The Project team reported they will refine these processes during UAT.	a potential risk of missing UAT timelines. However, the R11 UAT phase does not fail within the critical path of their project, and a daiped completion or incomplete UAT does not directly impart the overall project schedule. While the immediate schedule implications of incomplete or delayed R11 UAT may be limited, it is important to consider the potential long-term consequences regarding project quality, capacity, and resource retention.	Develop contingency plan if UAT appears to be bogged down by defects and cannot text effectively.						
83 Gaps in test coverge and solver than- expected programs in testing may result in testing may result in Rock and a solution of profession and user fieldback than initially anticipated.	6/2/2023 Testing	progress of texting might be lagging. Concerning texting coverage, it appears that not all epics and use cases in R11 have associated text cases or are testing the correct use cases. In terms of progress, some text cases remain unexecuted, and not all defects have been resolved as the project	and cost-effective to address issues during the early testing stages. If there is slow progress or incomplete testing in the early stages, it can result in	criteria and revises them as needed to ensure UAT begins with the best system possible. ASI and DHS spot-check Integration Tests during Release 12 to confirm early testing is adequate before entering FAT.		3	3 Med	Open	(J2)/22/3 - The Al3 addressed tores NT testing gaps identified by VTV by eveloping additional test cass and updating the traceasility disabbard. The Al3 ais improved TT testing by refining and developing additional test testing activities and additionality testing and adveloping additional test activities and additionality testing and adveloping the Al3 a larger than expected number of defects in future testing phases, potentially public got key milestones on the critical path.	d
12 The back of technical documentation may Heath, Doutlen Floring - lead to incorrect implementation tattements. Risk or delay the System Security Plan	4/27/2023 Security and Privacy	Implementation statements: Currently, the technical documentation supporting the SSP is unavailable, outdated, or in a draft form. During Aprill, decisions on what tools support the SSP controls are still being decided on. Implementation statements are currently being written from the perspective of how the system should be designed from the SSP author's perspective	authors may need to edit or rewrite implementation statements. A full draft of the SSP is scheduled to be published August 1, 2023, and the final SSP (ready for federal partner review) is scheduled for September 15, 2023. The	- Ortermore when the infrastructure design baseline well is completed. August the second	full draft of the	3	3 Med	Open	O(J/Q/2022) - The SIP Authors have received very little updated, dist, for final technical decommentation of the system own the past ten onnotes. Th SIP Authors have continued writing implementation responses to control, and many of the coord families are need/tocyletis. However, the authors with the start of the site of the system, which could require reveal to all system, which could require reveals to all up the responses with a chain system design, SI2/2023 - The ASI is renearing in servi/have to develop a plan to complete the recommendations of this finding.	
40 Development devy, could regatively impact. Fors, Michael Finding - the project schedule and delay go live. Risk Risk		development witch, Previously, the development tans was challenged with accurative transition glowedgement tanks low of diffet (1, a. story with accurative transition glowedgement tanks low of diffet (1, a. story schedule that accurately reflects reastists: timelines (see Toding 274). The ASC continues to be challenged with finding gualified resources in a timely manner.	where AG BAC/GAS have presented less than optimal designs and left it to DES (when may lack allowane or to design presentials to improve, which has controlleted to unproductive design session (see Rinding #62). It remains unclear if scope onep has controlleted to these delays.	measures may not be a effective as staffing additional expertineed development, advalue, and due resources test in ead and method para development, advalue, and due resources test in ead and method para logatistically us the weekly COI status meeting with an accurate weekly (accurate) and a method weekly coll status meeting with an accurate weekly is accurately and considerity effected in the project schedule. All grouds development and advalues of a schedule and a schedule and development and advalues of the schedule and atmosfes during each deme - ALS reveals the development process and development. The schedule group exceeding them from incorporating fact demo activities into the project schedule.		3	1 Low	Open	e1/20/21: 10/21 and VM are concerned that most of the demonstrations for features 1 the development process, leading to delays in provide postfor- challenges in the development process, leading to delays in provide postfor- tion to the customer in the development process. It is most of indicated that the development process, leading to delays in provide postfor- tation the development process. The development process attract the development process constrained by the development customer in the development process. The development customer is the development process constrained by the development customer in the development process constrained by the development customer is development process constrained by the development water to development methods, which related the an unanticipated lead of customer process constrained by the development of the completed on June 1, 2022. The Ad and ad process constrained by completed on June 1, 2022. The Ad and address were also development and the observation that most and the an unanticipated lead of completed on June 1, 2022. The Ad and advolute the strain frame constrained on June 1, 2022. The Ad and advolute to HS statistical box completed on June 1, 2022. The Ad and advolute to HS statistical box completed on June 1, 2022. The Ad and advolute to HS statistical box completed on June 1, 2022. The Ad and advolute to HS statistical box completed on June 1, 2022. The Ad and advolute to HS statistical box completed on June 1, 2022. The Ad and advolute to HS statistical box completed on June 1, 2022. The Ad and advolute to HS statistical box completed on June 1, 2022. The Ad and advolute to HS statistical box completed on June 1, 2022. The Ad and advolute to HS statistical box completed on June 1, 2022. The Ad and advolute to HS statistical box completed on June 1, 2022. The Ad and advolute to HS statistical box completed on June 1, 2022. The Ad and advolute to HS statistical box completed on June 1, 2022. The Ad an June 1, 2024 June 1, 2024 June 1, 2024 June 1, 2024 Jun	
74 A BS Project schedule based on inaccurate Molina, Rind Thoding - estimations demines effective planning to some and resource management, which could resource management, which could and some some some some some some and a bits go-live.	11/20/2011 Project Management	results that have not yielded improvement. Concerns with the structure, estimateg particles, and binly on anaged to be scholade particles. The use of multiple tools to truck resource advances to escore anagement. Encource management and critical path analysis, all of which were addressed and closed.	constant kaholide changes, resources not being available when needed, numbed activities, majoreand frustration which can lead to schedule delays, low quality oxipus, scope changes, and budget issues.	show key progress towerks completion of gats. Xet plan and security free developments to the ICE Bornes on accurate and the metanes abulate and allow the prostable networks. COMPART 10 Fits and the Xet 2021 (2022) - completion of the Completion of the Security Security with the current go live date will not reach in major implications. In(5/2)/21 Longray and completion of the Security Security Security Security with the current go live date will not reach in major implications. In(5/2)/21 Longray and completion of the Security Security Security Security development tasks estimates if needed, 1/(3/2)/223 - Nev XeS 1 Net5 Security compared to gate at AuX 10 Neurosci (1/2)/223 - Nev XeS 1 Net5 Security Compared to gate at AuX 10 Neurosci (1/2)/223 - Nev XeS 1 Net5 Security Compared to gate at AuX 10 Neurosci (1/2)/223 - Nev XeS 1 Net5 Security Compared to gate at AuX 10 Neurosci (1/2)/223 - Nev XeS 1 Net5 Security Compared to gate at AuX 10 Neurosci (1/2)/223 - Nev XeS 1 Net5 Security Compared to gate at AuX 10 Neurosci (1/2)/223 - Nev XeS 1 Net5 Security Compared to gate at AuX 10 Neurosci (1/2)/223 - Nev XeS 1 Net5 Security Compared to gate at AuX 10 Neurosci (1/2)/223 - Nev XeS 1 Net5 Security Compared to gate at AuX 10 Neurosci (1/2)/223 - Nev XeS 1 Net5 Security Compared to gate at AuX 10 Neurosci (1/2)/223 - Nev XeS 1 Net5 Security Compared to gate at AuX 10 Neurosci (1/2)/223 - Nev XeS 1 Net5 Security Neurosci (1/2)/223 - Nev XeS 10 Neurosci		4	2 Med	Open	CV202027 - AS signifies to the schedule hat resulted in restands of the baseline estimate wave signification of the schedule of the development spiring 11 month is task durated) and three singurants the schedule of the schedule of the schedule of the schedule of the development spiring 11 month is task of the schedule of the schedule of the schedule of the schedule of the schedule of the schedule of the schedule of the schedule of the schedule of the schedule of the schedule of the schedule of the schedule of the schedule of the schedule of schedule of the schedule of the schedule of schedule of	
73 The planned BES infrastructure is complex Fore, Michael Finding - which cade Befactus implement and Risk lead to schedule/cost impacts.	10/28/2021 Space Design	current 43 unfrastructure glans includes significant number of supplicated component shart making up a project outer (instructure, fruther, the Project Team has yet to final the component shat will make be the 13 infrastructure and the additional cost and time to configure, text, and implement the planned complex environment remain unclear.	infrastructure is not accurately accounted for and staffed by the A3, the project could be met with unexpected costs and schedule delays. Delays in finalizing the components being implemented could exacerbate this risks and lead to further delays. Complex platforms often present system maintenance and operations challenges as system changes can hold the increased potential for system failure (i.e., due to the significant number of	tools/components. • ASI allot time in the schedule to conduct proof of concepts to assure infrastructure components work as expected. • ASI	seeral ths	2	2 Low	Open	$4/3/23-11$ the AS/bar make program with hey inframicure components, periodiarly these entropy that the behavior and matrix (units Debut) of large $\lambda$ data in the LLH environment. These components jury a crucial role in monoving the testing process, and the jurger (and the software) and the software information of the software informat	e y d

HI DHS Monthly IV Status Report Final - June 2023

	Finding Reporter Type	Identified Date Category	Okranitian	Singlerson	Bacommondation Event Verlage	Impact Probabi	Analyst	Finding	Statur Hodate Client	at Commante	Vandor Commente
could lead to development confusion and reduce the effectiveness of defect resolution		Development	projects Society Plan has yet to be finalized which may include additional requirements of additional that could impact (CL. The project surrently relies on 60hub for tracking of some Coefgurations.	ensures the BLS is understood and works correctly. The BLS solution includes took that may provide a level advantation for Configuration Management that may reduce errors and should provide the project stams than the stam of the times. However, It is critical that EVHS dates are to the full is cold items that are included in the configuration plan along with the details regarding the management of the configuration items, reporting and audit features.	management tools. COMPETER 1- Vectority the D13 POC for the Configuration Management Activities and an usual defined COA stops and plane and the stop of the COA stops and the scalar defined COA stops and plane and the scalar definition of the scalar defined COA stops and plane and the scalar definition of the scalar defined COA stops and plane (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	2	2 Low	Open	6/20/21-10 for starteril update. 3/11/2021 - The Ad continues to make progress with in ultimation of the Sovietboor Configuration Management (20) (ad. They have recently participants) and anguest of Sough Claud model. They have recently participants and anguest of Sough Claud model and the source of the Source Source (30) (addition of the Source		9/9/2022 : sp6P Vie Location gap of the inquiries from the Inquiries from the IV&V team on configuration management and having conversations. We do a choseledge having conversations when the inquiries of the having conversation management.
Section 308 compliance tool has not been installed for the Project, which may cause significant rework.	Tan, Nyan Pinding . Risk	7/12/021 Testing	tool instaled and that Section 500 compliance testing has not been performed. This via has been discussed with NA over the part several month, but there have been evidence of results to date. The ASI did states month, but there have been evidence of results to date. The ASI did states provide the several several several several several several provides to the several seve	The AGA Section XBB intent is to make electronic and information technologia accessible to popel with disalities (e.g., color blindens, vacion and hearing disabilities), in a way that is comparable to the access and the accessible of the accessible of the accessible of the accessible accessible of the accessible of the accessible of the accessible accessible accessible accessible of the accessible accessible accessible accessible accessible accessible accessible accessible accessible accessible accessible accessible accessible accessible accessible accessible accessible and black accessible accessible accessible accessible accessible accessible accessi		2 3	3 Med	Open	6/20/2023 - The Add conducted an assumment using the ADA compliance that in an anal definition of all defacts. Linework of the Add defacted to conduct Add Ametry, officially in Metal 21 (Invoire) at instant defact table from the analysis of the analysis of the Add defacts and the Add appears to be actively regard in Add Activity. York is concerned with the defactions to withind particles is unnectarary to the instant Add and the Add appears to be actively regard in Add Activity. York is concerned with the defactions to withind particles is unnectarary to the add appears to be actively regard in Add Activity. York is concerned with the default regard and Add Accompliance tables. The Add A the add and the Add Add Anting process. York 2023. YUR2023 - The Project abgred additional regard and Add Accompliance tables and a fact compliance to a runner in york. York 2023. YUR2024 - The Project abgred additional regard and the Add Accompliance tables and a fact compliance to dark and the Add Accompliance tables and the Add and Add Hell and Add Accompliance tables and a fact compliance to dark and the ID 56 does not work the EdS compliance to dark and the Id additional tables and the Add arrently used within D 56 does not work the EdS corrently used within D 56 does not work the EdS corrently used within D 56 does not work the EdS corrently used within D 56 does not work the EdS corrently used be in the rest and the Add is in relevant to the Add Add T does get IPCI (Add addots), the Add apprecisable and the fact a foreign IPCI (Add addots), the Add apprecisable and and the Add Add and the new Add conducted and the the add and and the add and the new Add conducted and the the add and and the add and the add and add and and add and add and the add the Add and the add and add add and add and add add add		9/9/21 - RAP: The ASI has invited the IV&V to development team to development team to development team to pain insight. To date, the M&V has not contacted the development lead to have further development lead to have further develo
(6) The lisk of early planning and coordination with interface partners may result in schedule delays.	Roynolds, Pinding - Mark Bisk	1/11/2021 Integration and Interface Management	and documented by the ASJ- connectivity is planned to utilize a presently undefined ETSA Gateway, however, there is no evidence that details have been determined or documented in this regrad There is little evidence of active and sufficient communication with interface partners for coordination, design, and testing activities (Unit Test, STI, UAT)- Interface planning and execution tasks and activities, including those for interface	defined communication plan and schedule that includes the coordination, planning, and execution activities along with milestone dates can minimize the risk of potential delays. In addition, after planning has been completed, interface partners will have to be available during interface implementation	testing dates with interface partners in writing. 7. Complete early proof of concept interfaces to avoid unexpected delays due to external organization miscommunications or their own internal delays in assisting the BES project. COMPLETE 1. Establish a communication plan for each interface partner for	4	1 Low	Open	DQ29212231 The Ad continues to many a plantface activities, with most of teed forst according (the Base 12. The too emailing agreements to be compared any Data. Displantment of Databato (DA.W. (Dapartment of Databato (DA.W. (Databato)) and the Databato (DA.W. (Dapartment of Add Databato) and the Databato (DA.W. (Dapartment of DataBato) (DA.W. (Databato)) and the Databato (DA.W. (Dapartment of Add Databato) and the Databato (DA.W. (Dapartment of DataBato) (DA.W. (DA.W		7/20/21 RAP - The AS issuer requests that the issuer requests that the issuer requests that the issuer requests in the issuer requests and the issuer requests and the issuer requests and the issuer request and the issuer request and the the schedule risk. It the ischedule risk, bit the schedule risk, bit rest, risk, and context, against each of the In Progress recommendations, research to the rest of the rest of the rest of the In regress the rest of the In regre
29 Userstrately end/or 3 lab of communication amound image for marchitecture discission could image: the project budget, schedule, system design, and planning decision.	Fors, McHael Roding - Issue	5/22/2019 Project Management	system architecture decisions have not always been clearly communicated and socialized oil relevant project stakeholders. For example, the ASI and DHS had not broadly communicated their decision implementing two Siebel instances (one for KOLEA, one for BSI) in a timely manner, and the decision was not immediately reflected in the project change log or the project decision log. Further, the details of the rationale for this decision or the plan	Inclusive of all known future solution plans as soon as details become available. These architecture plans and future state designs and capabilities should be thoroughly vetted by a broad base of relevant stakeholders and available experts and broadly communicated to relevant stakeholders as soon as possible. Architecture plans and changes that are not effectively	perform due diligence in any recommendation for foundational architecture change decisions and continue to review with appropriate DHS stakeholders to assure a common understanding of the implications of these decisions The Project should continue to ensure communication between development leads and architecture leads to assure octimal collaboration	2	2 Low	Open	6/30/2023 - The project is making progress in clarifying key architecture 06/30 decisions. One notable decision that has been announced and approved by DHS. DHS is the implementation of the two-portal strategy as part of the origin statewide rollour, rather than including it in the earlier pilot release. origin	10/2020 - Chambined application is self glanned. Ago still no finalised b Trom Anch programs(une, Nare Matting) inclures, Nare Negraphic to portal is self to be determined, but is not more complex than comply planned for data sharing. If change is made to Adobe, this would or a 5.X.	by 4/23/21 rap - The ASI and DHS continue to